

# INDEX MAPS.

**T.23N. R.9E.      2<sup>nd</sup> Mer.**

	5	5	5	5	4	4						
7	6	28	5	22	4	18	3	14	2	1	4	
	28		27		22		18		14	11	10	
7	7	27	8	24	9	17	10	13	11	10	12	3
	26		26		21		17		13		10	
7	18	25	17	21	16	17	15	13	14	9	13	3
	25		25		20		16		12		9	
6	19	24	20	20	21	16	22	12	23	9	24	3
	24		24		19		16		12		9	
6	30	24	29	19	28	15	27	11	26	8	25	3
	23		23		19		15		11		8	
6	31	23	32	18	33	14	34	11	35	8	36	2
	2		2		1		1		1		1	

**T.24N. R.9E.      2<sup>nd</sup> Mer.**

	47		47		47		46		46		46	
49	6	68	5	63	4	60	3	58	2	52	1	45
	68		67		63		57		57		52	
48	7	67	8	62	9	59	10	57	11	52	12	45
	67		66		62		56		56		51	
48	18	66	17	62	16	59	15	56	14	51	13	45
	66		66		61		56		55		51	
48	19	65	20	61	21	59	22	55	23	50	24	45
	65		65		61		54		54		50	
48	30	64	29	60	28	58	27	54	26	50	25	44
	64		64		60		53		53		49	
47	31	63	32	60	33	58	34	53	35	49	36	44
	44		44		43		43		43		43	

The figures on the lines refer to the page.

Township 23 North, Range 9 East 2<sup>nd</sup> Mer. Ind<sup>a</sup>  
 South Boundary Var.

West on S. Side of Sec. 36

- 40.00 Let q. Sec. post from which  
 a Buck 10 in. dia. bears S 76 E 21 W 1/2 dist. X  
 an ash 30 " " " S 77 W 32 " "  
 80.00 Let post co. to Secs. 35 & 36 from which  
 a Buck 10 in. dia. bears S 78 E 51 W 1/2 dist. X  
 a Do 12 " " " N 10 W 10 " "  
 On level land. Timber Beech &c.

West on S. Side of Sec. 35-

- 40.00 Let q. Sec. post from which  
 a Buck 16 in. dia. bears N 79 E 33 W 1/2 dist. X  
 a Do 12 " " " N 76 W 36 " "  
 80.00 Let post co. to Secs. 34 & 35 from which  
 a Buckeye 8 in. dia. bears N 87 E 22 W 1/2 dist. X  
 an ash 20 " " " N 45 W 4 " "  
 On level land. Timber Beech, Ash &c.

West on S. Side of Sec. 34

- 34.00 To Right bank of Mississinewa River set post  
 an Elm 24 in. dia. bears North 40 W 1/2 dist. X  
 a Do 20 " " " N 49 E 29 " "  
 37.50 over River set post on Left bank from which  
 a Spruce 9 in. dia. bears West 4 W 1/2 dist. X  
 a W. Walnut " " " N 37 E 3 1/2 " "  
 40.00 Let q. Sec. post from which  
 an Elm 8 in. dia. bears S 80 W 8 W 1/2 dist. X  
 a Hickory 8 " " " S 76 E 22 " "  
 80.00 Let post co. to Secs. 33 & 34 from which  
 an Oak 12 in. dia. bears N 77 E 19 W 1/2 dist. X  
 a Sugar 8 " " " N 43 W 15 " "  
 Land & Timber same as on the last line-

West on S. Side of Sec. 33-



# T. D. N. R. G. E. 2<sup>nd</sup> Mer. Indiana.

40.00 Set q. Sec. Post from which  
 a Beech 10 in. dia. bears N 88 E 23 W. dist. 8  
 a Do 18 " " " S 60 W 7 "  
 80.00 Set Post Cn. to Sect. 32 & 33 from which  
 a Beech 12 in. dia. bears N 45 E 34 W. dist. 8  
 a Do 10 " " " S 80 W 35 " "  
 Sand & Timber same as on the last line.

## West on E. Side of Sec. 32

40.00 Set q. Sec. Post from which  
 a Buckeye 12 in. dia. bears N 88 E 29 W. dist. 8  
 an Oak 20 " " " N 80 W 15 "  
 80.00 Set Post Cn. to Sect. 31 & 32 from which  
 an Elm 8 in. dia. bears N 37 W 8 W. dist. 8  
 an Ash 13 " " " S 85 E 35 "  
 Not swampy land. Timber Maple, Ash &c.

## West on E. Side of Sec. 31

40.00 Set q. Sec. Post from which  
 an Oak 16 in. dia. bears N 89 E 22 W. dist. 8  
 a Maple 4 " " " North 3 " "  
 85.60 Intersect Range line 190 W. S. of temp. Post-  
 when set Post Cn. to Towns 22 & 23 North,  
 Ranges 8 & 9 East, from which  
 a Maple 20 in. dia. bears N 15 W 17 W. dist. 8  
 an Elm 11 " " " S 42 E 43 "  
 Sand & Timber same as on the last line-  
 January 2<sup>nd</sup> 1830

## East Boundary.

Var. 7° 30' E

## North on E. Side of Sec. 36

40.00 Set q. Sec. Post from which  
 a Beech 8 in. dia. bears N 71 E 19 W. dist. 8  
 an Ash 12 " " " S 75 W 5 " "  
 60.64 a Do 18 " "

Q3 N. R. 9 E. 2<sup>nd</sup> Mer. Indiana.

3

80.00 Set post on to Sec. 25 & 26 from which  
at Buck 13 in. dia. bears S 9 E 40 W. dist. 8  
a Do 8 " " " S 65 E 38 " "  
Good farming land, Timber Buck, Ash &c

North on E. Side of Sec. 25.

19.80 at Buck 13 in. dia.  
40.00 Set q. Sec. Post from which  
an Ash 8 in. dia. bears N 55 E 10 W. dist. 8  
at Buck 10 " " " S 43 W 35 " "  
80.00 Set post on to Sec. 24 & 25 from which  
an Ash 8 in. dia. bears S 71 W 18 W. dist. 8  
a Do 10 " " " N 31 E 8 " "  
Land & Timber same as on the last line.

North on E. Side of Sec. 24.

15.20 an Oak 20 in. dia.  
40.00 Set q. Sec. Post from which  
a Walnut 9 in. dia. bears S 47 W 28 W. dist. 8  
a Hickory 8 " " " N 51 E 32 " "  
80.00 Set post on to Sec. 13 & 24 from which  
a Hickory 9 in. dia. bears N 7 E 9 W. dist. 8  
an Oak 18 " " " S 39 E 35 " "  
Good wet land, Timber Elm, Oak &c

North on E. Side of Sec. 13

31.10 an Oak 15 in. dia.  
40.00 Set q. Sec. Post from which  
a Hickory 18 in. dia. bears S 8 E 44 W. dist. 8  
an Oak 20 " " " N 31 W 18 " "  
80.00 Set post on to Sec. 12 & 13 from which  
at Buck 16 in. dia. bears S 78 E 25 W. dist. 8  
a Do 18 " " " N 48 W 18 " "  
Land & Timber same as on the last line.

North on E. Side of Sec. 12.

T. 23 N. - R. 9 E. D.<sup>12</sup> Mer. Indiana.

- 40.00 Let q. Sec. Post from which  
 a Buck 8 in. dia. bears N 39 W 33 W. dist. 8  
 a Do 10 " " " 439 W 22 " "  
 80.00 Let Post cor. to Sec. 1 & 12 from which  
 an Ash 6 in. dia. bears S 44 W 6 W. dist. 8  
 an Elm 13 " " " N 81 E 21 " "  
 Sand & Timber same as on the last line.

North on E. Side of Sec. 1

- 40.00 Let q. Sec. Post from which  
 an Oak 20 in. dia. bears S 12 W 25 W. dist. 8  
 a Buck 10 " " " N 1 E 29 " "  
 80.00 Turn corner (1375 W. of the false line)  
 an Ash 10 in. dia. bears S 41 W 11 W. dist. 8  
 a Do 10 " " " N 33 W 42 " "  
 Sand & Timber same as on the last line.

North Boundary

- West on E. Side of Sec. 36 T. 24 N. - R. 9 E. Var. 6° 45' E.  
 40.00 Let q. Sec. Post from which  
 a Buck 18 in. dia. bears N 15 E 21 W. dist. 8  
 a W. Oak 10 " " " 480 E 23 " "  
 80.00 Let Post cor. to Sec. 35 & 36 from which  
 a W. Oak 12 in. dia. bears S 51 W 16 W. dist. 8  
 a Do 10 " " " N 53 E 8 " "  
 Sand rich. Timber Buck, Sugar &c

West on E. Side of Sec. 35 T. 24 N. - R. 9 E.

- 40.00 Let q. Sec. Post from which  
 a Sugar 10 in. dia. bears S 35 E 11 W. dist. 8  
 a Do 12 " " " 415 W 18 " "  
 80.00 Let Post cor. to Sec. 34 & 35 from which  
 an Elm 12 in. dia. bears S 5 W 5 W. dist. 8  
 a Buck 12 " " " N 40 W 4 " "  
 Sand & Timber same as on the last line.

Sec 23 N. R. 9 E. 2<sup>nd</sup> Mer. Indians<sup>5</sup>

West on S. Side of Sec. 34 T. 24 N. - R. 9 E.  
 40.00 Set gp. Sec. post from which no bearing  
 post stands in a Swamp  
 80.00 Set post cor. to Sect. 33 & 34 from which  
 a Buck 24 in. dia. trass N 45 E 20 W? dist. X  
 an Ironwood 10 " " " S 66 W 17 " "  
 Sand & Timber Same as on the last line -

West on S. Side of Sec. 33 T. 24 N. - R. 9 E.  
 40.00 Set gp. Sec. post from which  
 a Cottonwood 8 in. dia. trass N 1 E 13 W? dist. X  
 a Do 10 " " " S 30 W 19 " "  
 79.50 at Branch 15 W. wide corner S. W.  
 80.00 Set post cor. to Sec. 32 & 33 from which  
 an Ash 18 in. dia. trass N 17 E 17 W? dist. X  
 a Buck 24 " " " S 75 W 48 " "  
 Sand & Timber Same as on the last line -

West on S. Side of Sec. 32 T. 24 N. - R. 9 E.  
 40.00 Set gp. Sec. post from which  
 a Buck 12 in. dia. trass S 36 E 21 W? dist. X  
 a Buckeye 10 " " " N 48 W 34 " "  
 80.00 Set post cor. to Sect. 31 & 32 from which  
 a Sugar 18 in. dia. trass N 24 E 13 W? dist. X  
 an Ironwood 10 " " " S 5 E 30 " "  
 Sand & Timber Same as on the last line -

West on S. Side of Sec. 31 T. 24 N. - R. 9 E.  
 40.00 Set gp. Sec. post from which  
 an Ironwood 10 in. dia. trass S 80 E 33 W? dist. X  
 a W. Oak 10 " " " N 39 W 16 " "  
 76.25 Intersect Range line at temp. post  
 Set post cor. to Towns 23 & 24 North, Ranges  
 8 & 9 East No bearing taken  
 Sand & Timber Same as on the last line -



West Boundary

Var 5° 50' E.

North on E. Side of Sec. 36 T. 23 N. - R. 8 E.

32.23 an Oak 24 in. dia.

40.00 Let gr. Sec. Post from which

an Elm 8 in. dia. bears S 4 E 23 W. dist. X

an Ash 6 " " " N 12 W 33 " "

30.65 a Hickory 18 " "

80.00 Let post Co. to Secs. 35 &amp; 36 from which

a Hickory 20 in. dia. bears S 4 E 20 W. dist. X

an Oak 15 " " " N 24 W 31 " "

Over good farming land. Timber Beech.  
Sugar. Ash. Oak &c.

North on E. Side of Sec. 25 T. 23 N. - R. 8 E.

16.60 a Buck 10 in. dia.

40.00 Let gr. Sec. Post from which

a Buck 12 in. dia. bears S 63 E 12 W. dist. X

a Do 13 " " " N 60 W 39 " "

45.05 a W. Oak 12 " "

80.00 Let Post Co. to Secs. 24 &amp; 25 from which

a Buck 10 in. dia. bears N 4 E 42 W. dist. X

a Do 12 " " " S 13 W 24 " "

Land &amp; Timber same as on the last line -

North on E. Side of Sec. 24 T. 23 N. - R. 8 E.

18.40 a Buck 10 in. dia.

40.00 Let gr. Sec. Post from which

a Buck 18 in. dia. bears S 33 W 24 W. dist. X

an Ash 24 " " " N 29 E 15 " "

77.00 a Creek 40 W. wide corner No.

80.00 Let Post Co. to Secs. 13 &amp; 24 from which

an Elm 20 in. dia. bears S 2 E 11 W. dist. X

a Hackberry 8 " " " N 18 E 15 " "

Land &amp; Timber same as on the last line -



T. 23 N. R. 9 E. 2<sup>nd</sup> Mer. Indiana.

North on E. Side of Sec. 13 T. 23 N. R. 8 E.  
 23.95 an Oak 20 in. dia.  
 40.00 Set gr. Sec. Post from which  
 an Elm 12 in. dia. bears S 84 E 11 W. dist. 8  
 an Oak 18 " " " N 41 W 44 " "  
 58.00 a Hickory 20 " "  
 80.00 Set post Co. to Sec. 12 & 13 from which  
 a Hickory 19 in. dia. bears S 31 E 98 W. dist. 8  
 a Locust 12 " " " N 37 W 42 " "  
 Over Oak & Hickory Land. Thin Soil.

North on E. Side of Sec. 12 T. 23 N. R. 8 E.  
 28.66 Intersect left bank of Mississinewa  
 River & set post from which  
 an Ash 12 in. dia. bears S 25 E 11 W. dist. 8  
 a Spruce 12 " " " N 25 W 18 " "  
 32.70 On River & set post on Right bank from which  
 an Elm 14 in. dia. bears S 28 E 3 W. dist. 8  
 a Hickory 8 " " " N 75 W 14 " "  
 40.00 Set gr. Sec. Post from which  
 a Beech 8 in. dia. bears S 3 E 36 W. dist. 8  
 a Do 10 " " " North 43 " "  
 80.00 Set post Co. to Sec. 1 & 12 from which  
 a Beech 12 in. dia. bears S 3 W 45 W. dist. 8  
 a Hickory 10 " " " N 5 E 30 " "  
 On good farming land. Oak. Beech. Sugar &c

North on E. Side of Sec. 1 T. 23 N. R. 8 E.  
 26.40 a Sugar 14 in. dia.  
 40.00 Set gr. Sec. Post from which  
 an Ash 18 in. dia. bears S 1 E 33 W. dist. 8  
 a Spruce 8 " " " N 23 W 27 " "  
 80.00 Set temp. Township Corner Post -  
 Sayd & Simms Same as on the last line  
 January 2<sup>nd</sup> 1820 Surveyed by  
 John M. Donald Dep. Sur.

SubdivisionNorth Return Sect. 35 & 36.

20.61 at Buck 12 in. dia.

36.25 at M. Oak 36 "

40.00 Set g. Sec. post from which  
an Ironwood 6 in. dia. bears S 5 E 26 W. dir. &  
at B. Ash 8 " " " N 11 W 14 " "

66.97 at Buck 16 " "

80.00 Set post C. to Sect. 25. 26. 35 & 36 from which  
at B. Ash 4 in. dia. bears S 46 E 7 W. dir. &  
a Do 8 " " " N 38 W 19 " "Land lent & rich. Timber Ash. Hickory, Oak  
Elm & Beech - undergrowth. Ironwood,  
Ash & Spice.East or Random between Sect. 25 & 36.

40.00 Set temp. g. Sec. post -

80.10 Intersect E. Bound. line 300 W. N. of post.

West corner between Sect. 25 & 36.40.05 Set g. Sec. post at average dir. from which  
an Ironwood 6 in. dia. bears S 86 E 26 W. dir. &  
at B. Ash 20 " " " N 69 W 17 " "

80.10 To Sec. Corner.

North Return Sect. 25 & 26.

17.36 at Buck 16 in. dia.

37.96 at Bur Oak 15 " "

40.00 Set g. Sec. post from which  
at B. Ash 10 in. dia. bears S 45 W 27 W. dir. &  
an Elm 13 " " " N 9 E 30 " "

67.75 at Buck 12 " "

80.00 Set post C. to Sect. 25. 24. 25 & 26 fr. which  
at Buck 20 in. dia. bears S 29 E 4 W. dir. &  
at B. Ash 32 " " " N 37 W 73 " "

# W 23 N. - R. G. E. 2<sup>nd</sup> Mer. Indiana.

Land & Timber Same

East on Random between Secs. 24 & 25 -  
 40.00 Set temp. gp. Sec. post -  
 80.25 Intersect E Bound. line 300 yds. N. of post

West Corner between Secs. 24 & 25 -  
 40.12 $\frac{1}{2}$  Set gp. Sec. post at average dist. from which  
 a Beech 20 in. dia. bears S 40 E 60 yds. dist. &  
 an Elm 19 " " " N 40 W 40 " "  
 80.25 To Sec. Corner.

North Between Secs. 23 & 24 -  
 30.25 a Beech 16 in. dia.  
 40.00 Set gp. Sec. post from which  
 a Beech 20 in. dia. bears S 31 W 39 yds. dist. &  
 an Elm 21 " " " N 38 E 29 " "  
 59.25 a B. Ash 16 " "  
 63.08 a Stream 15 yds. wide Cross W.  
 80.00 Set Post on. to Secs. 13, 14, 23 & 24 from which  
 a Beech 28 in. dia. bears S 54 E 37 yds. dist. &  
 a Do 16 " " " N 33 W 30 " "

East on Random between Secs. 13 & 24 -  
 40.00 Set temp. gp. Sec. Post  
 80.15 Intersect E Bound line 305 yds. N. of post.

West Corner between Secs. 13 & 24 -  
 40.07 $\frac{1}{2}$  Set gp. Sec. Post at average dist. from which  
 a B. Ash 3 in. dia. bears East 11 yds. dist. &  
 a W. Oak 5 " " " N 63 W 6 " "  
 80.15 To Sec. Corner.

North Between Secs. 13 & 14 -  
 30.18 a B. Walnut 20 in. dia.  
 36.25 a W. Oak 30 " "

# W 23 N. - W. 9 E. 2<sup>nd</sup> Mer. Indiana

40.00 Let g. Lee. post from which  
a Buck 14 in. dia. brass S 35 W 42 W. dir. N  
a W. Oak 30 " " " N 20 E 38 " "

63.20 an Elm 30 " "

80.00 Let post ca. to Secs. 11, 12, 13 & 14 from which  
an Elm 16 in. dia. brass S 49 W 33 W. dir. N  
a Do 28 " " " N 56 E 25 " "

East on Random between Secs. 12 & 13.

40.00 Let temp. g. Lee. post

80.25 Intersect E. Bound. line 308 W. N. of post

West Corner between Secs. 12 & 13.

40.13<sup>1</sup>/<sub>2</sub> Let g. Lee. post at average dist. from which  
a B. Ash 24 in. dia. brass N 80 E 29 W. dir. N  
a Bur Oak 16 " " " S 70 W 32 " "

80.25 To Sec. Corner.

North between Secs. 12 & 13

14.18 a S. Ash 13 in. dia.

32.03 a W. Oak 16 " "

40.00 Let g. Lee. post from which  
a Maple 6 in. dia. brass S 35 W 82 W. dir. N  
a S. Ash 8 " " " N 48 E 18 " "

62.35 a B. Ash 16 " "

80.00 Let post ca. to Secs. 1, 2, 11 & 12 from which  
a Dogwood 3 in. dia. brass S 55 E 12 W. dir. N  
a Do 4 " " " N 53 W 9 " "

East on Random between Secs. 14 & 12

40.00 Let temp. g. Lee. post

80.16 Intersect E. Bound. line 302 W. N. of post.

West Corner between Secs. 14 & 12

40.08 Let g. Lee. post at average dist. from which  
a B. Ash 16 in. dia. brass N 15 E 4 W. dir. N



Q 23 N. R. 9 E. T<sup>h</sup> Mer. Indiana

a B. Ash 6 in. dia. bears S 30 W 20 W. dist.  
80.16 To Sec. Corner

---

North Return Sec. 1 & 2

17.15 an Elm 18 in. dia.

40.00 Let g. Sec. post from which  
a Bur Oak 3 in. dia. bears S 87 W 4 W. dist. X  
a B. Ash 4 " " " S 65 E 11 " "  
Balance of Lin. 10 notes  
October 2<sup>nd</sup> 1822.

---

North Return Sec. 34 & 35

18.00 a Stream 10 W. wide Course N. W.

22.38 a W. Oak 10 in. dia.

40.00 Let g. Sec. post from which  
a Beech 28 in. dia. bears S 60 E 4 W. dist. X  
a Do 29 " " " N 53 W 22 " "

54.65 a B. ash 12 " "

66.20 a Beech 8 " "

74.00 a Stream 11 W. wide Course W.

80.00 Let Post Co. to Sec. 26, 27, 34 & 35 from which  
a Beech 9 in. dia. bears S 12 E 24 W. dist. X  
a Do " " " N 33 W 33 " "

---

East on Random Return Sec. 26 & 35

17.08 a Stream 12 W. wide Course S.

40.00 Let g. Sec. post (temp.)

79.80 Put on M. line 150 W. N. of post.

---

West Corner Return Sec. 26 & 35

39.90 Let g. Sec. post at average dist. from which  
an Ironwood 8 in. dia. bears N 78 E 28 W. dist. X  
a Beech 19 " " " S 66 W 26 " "

79.80 To Sec. Corner

---

North Return Sec. 26 & 27



# Sec. 23 N. R. 9 E. 2<sup>nd</sup> Mer. Indiana.

37.68 at Beech 22 in. dia.  
 40.00 Let gr. Sec. post from which  
     at Beech 16 in. dia. bears South 8 W. dist. 8  
     at Hickory 16 " " " North 25 " " "  
 47.90 at Beech 18 " "  
 70.38 " Do 28 " "  
 80.00 Let post cut to Secs. 22, 23, 26 & 27 from which  
     at Sugarwood 5 in. dia. bears S 57 W 29 W. dist. 8  
     at Beech 20 " " " N 9 E 17 " "

---

East on Random between Secs. 23 & 26.  
 40.00 Let temp. gr. Sec. Corner post.  
 80.13 Intersect Mt. line 112 W. N. of post.

---

West Corner between Secs. 23 & 26.  
 40.06<sup>1</sup>/<sub>2</sub> Let gr. Sec. post at same dist. from which  
     at Poplar 10 in. dia. bears S 82 E 29 W. dist. 8  
     at W. Oak 32 " " " N 80 W 33 " "  
 80.13 To Sec. Corner.

---

North between Secs. 22 & 23.  
 10.50 an Elm 30 in. dia.  
 30.23 at W. Oak 26 "  
 40.00 Let gr. Sec. post from which  
     at W. Oak 15 in. dia. bears S 77 W 34 W. dist. 8  
     an Elm 14 " " " N 39 E 40 " "  
 55.70 at Beech 20 " "  
 80.00 Let post cut to Secs. 14, 15, 22 & 23 from which  
     an Elm 5 in. dia. bears S 2 W 41 W. dist. 8  
     at Beech 26 " " " N 2 W 19 " "

---

East on Random between Secs. 14 & 23.  
 15.37 a Stream 18 W. wide Corner N.W.  
 40.00 Let temp. gr. Sec. post  
 79.71 Intersect Mt. line 170 W. N. of post.

*Sec 23 N. R. 9 E. T<sup>2</sup> Mer. Indiana<sup>13</sup>*

West Corner between Secs. 14 & 23 -  
 39.85<sup>+</sup> Set q. Sec. post at average dist. from which  
 a Beech 23 in. dia. bears N 30 E 6 1/2 W. dist. 8  
 a Hickory 8 " " " S 35 W 26 " "  
 79.71 To Sec. Corner

North Return Secs. 14 & 15 -  
 17.00 a Stream 23 1/2 W. wide Corner W.  
 25.00 a Beech 24 in. dia.  
 40.00 Set q. Sec. post from which  
 a Sugar 28 in. dia. bears S 12 E 20 1/2 W. dist. 8  
 a Beech 8 " " " N 8 W 30 " "  
 49.40 an Elm 20 " "  
 66.50 a Stream 13 1/2 W. wide Corner W.  
 72.71 a Beech 19 in. dia.  
 80.00 Set post C. to Secs. 10, 11, 14 & 15 from which  
 a Beech 23 in. dia. bears S 79 W 30 1/2 W. dist. 8  
 a Do 21 " " " N 69 E 29 " "

East on Random between Secs. 11 & 14 -  
 40.00 Set temp. q. Sec. post -  
 80.02 Intersect Mt. Line 17 1/2 W. N. of post -

West Corner between Secs. 11 & 14 -  
 40.01 Set q. Sec. post at average dist. from which  
 a Oak 25 in. dia. bears N 75 E 35 1/2 W. dist. 8  
 a Beech 18 " " " S 68 W 35 " "  
 80.02 To Sec. Corner

North Return Secs. 10 & 11  
 37.00 a Stream 15 1/2 W. wide Corner N. W.  
 38.90 an Elm 17 in. dia.  
 40.00 Set q. Sec. post from which  
 an Ironwood 4 in. dia. bears S 71 E 4 1/2 W. dist. 8  
 a Do 6 " " " S 87 W 3 " "  
 50.00 a Stream 14 1/2 W. wide Corner W.

# W B N. R. G. E. D. Mr. Indiana.

66.40 a Hickory 12 in. dia  
 77.90 at Buck 22 "  
 80.00 Let post Cu. to Sec. 2, 3, 10 & 11 from which  
 at Buck 12 in. dia. bears S 28° E 48 1/2 W. dist. 1/2  
 a Do 13 " " " N 31° W 40 " "

East or Random between Sec. 2 & 11.

40.00 Let temp. q. Sec. post.

80.08 Intersect Md. line 180 W. N. of post.

West Corner between Sec. 2 & 11.

40.04 Let q. Sec. post at average dir. from which  
 an Elm 16 in. dia. bears S 10° E 18 1/2 W. dist. 1/2  
 a Do 28 " " " N 7° W 15 " "

80.08 To Sec. Corner November 16<sup>th</sup> 1892.

North between Sec. 2 & 3.

19.76 a Hickory 14 in. dia.

40.00 Let q. Sec. post from which  
 a Hickory 6 in. dia. bears S 1° E 20 1/2 W. dist. 1/2  
 a W. Oak 28 " " " North 43 " "

55.70 a Do 30 " "

75.02 Intersect North Boundary line in fallen  
 timber, no post to be found. Let post  
 Cu. to Sec. 2 & 3 from which  
 an Ironwood 6 in. dia. bears S 57° E 3 1/2 W. dist. 1/2  
 a Do 6 " " " N 90° W 24 " "  
 Sand and timber as last described.

North between Sec. 33 & 34.

2.39 a Stream 25 W. side corner S. E.

3.75 Do 25 " " " N. W.

4.25 Do 25 " " " N. E.

13.73 Mississinewa River No post set.

40.00 Let q. Sec. post in the River from which  
 an Elm 20 in. dia. bears S 42° W 65 W. dist. 1/2

*St. J. B. N. R. G. E. 2<sup>nd</sup> Mer. Indiana. 15*

- a Hackberry 19 in. dia. bears N 58 W 68 th. dia.  
 50.65 Leave the River. No post set  
 53.72 a Beech 15 in. dia.  
 63.28 a Do 8 " "  
 65.50 To the River again & set post, from which  
 an Elm 16 in. dia. bears S 48 W 31 th. dia. &  
 a Hackberry 4 " " " N 37 W 15 " "  
 73.80 On the River & set post from which  
 a Buckeye 7 in. dia. bears S 83 W 6 th. dia. &  
 a W. Oak 7 " " " N 82 E 8 " "  
 The River is 125 th. wide. Course N. W.  
 80.00 Set post C. to Sec. 27, 28, 33 & 34 from which  
 a Beech 36 in. dia. bears S 56 E 40 th. dia. &  
 a Do 30 " " " N 46 W 15 "

---

*East or Random between Sec. 27 & 34.*

- 40.00 Set temp. gr. Sec. post  
 79.50 Intersect Rd. line 160 th. N. of post

---

*West Corner between Sec. 27 & 34.*

- 39.75 Set gr. Sec. post at average dist. from which  
 a Beech 23 in. dia. bears S 83 E 3 th. dia. &  
 an Elm 19 " " " N 30 W 14 " "  
 79.50 S. Sec. Corner.

---

*North Return Sec. 27 & 28.*

- 8.11 To the River again - No post set  
 14.36 a Stream 18 th. wide Course W -  
 34.21 Leave the River No post set  
 34.88 an Ironwood 7 in. dia.  
 40.00 Set gr. Sec. post from which  
 a Beech 16 in. dia. bears S 62 E 34 th. dia. &  
 a Do 15 " " " S 88 W 10 " "  
 43.40 a Stream 20 th. wide Course W -  
 46.27 To the River again No post set  
 50.50 Leave the River No post set



J. D. N. - R. G. E. 2<sup>nd</sup> Mer. Indiana

58.44 a W. Oak 37 in. dia.

63.53 a Beech 26 " "

80.00 Let post cor. to Sect. 21. 22. 27 & 28 fr. which  
a Passafra 4 in. dia. bears S 39 W 6 W. dist. 8  
a W. Oak 5 " " " N 3 E 5 " "

East on Random between Sect. 22 &amp; 27

40.00 Let temp. gr. Sec. post.

79.76 Intersect Mt. line 113 W. N. of post.

West correct between Sect. 32 &amp; 27

39.88 Let gr. Sec. post at average dist. fr. which  
a W. Oak 14 in. dia. bears N 76 E 25 W. dist. 8  
a B. Ash 5 " " " S 42 W 25 " "

79.76 To Sec. Corner.

North between Sect. 31 &amp; 22

14.30 a B. Ash 30 in. dia.

39.30 a Stream 14 W. wide course S. W.

40.00 Let gr. Sec. post from which  
a Beech 26 in. dia. bears S 35 W 5 W. dist. 8  
a Do 27 " " " N 31 E 22 " "

56.20 a B. Ash 36 " "

62.73 a Beech 35 " "

67.00 a Stream 40 W. wide course W.

80.00 Let post cor. to Sect. 15. 16. 21 & 22 from which  
a Beech 5 in. dia. bears S 27 W 30 W. dist. 8  
a Do 14 " " " N 37 E 16 " "

East on Random between Sect. 15 &amp; 22

.56 a Stream 50 W. wide course S. E.

19.75 a Do 40 " " " N. W.

31.50 a Do 50 " " " S. W.

40.00 Let temp. gr. Sec. post.

79.75 Intersect Mt. line 76 W. N. of post.



# D. D. N. - R. G. E. 2<sup>nd</sup> Mer. Indian

West corner between Secs. 15 & 22  
 39.87 $\frac{1}{2}$  Let gr. Lec. post at average dist. from which  
     an Elm 14 in. dia. bears N 68° E 12 W. dist. 8  
     a Beech 14 " " " S 64° W 18 " "  
 74.75 To Lec. Corner November 17<sup>th</sup> 1822

---

North Between Secs. 15 & 16  
 .60 a Stream 50 W. wide corner S. E.  
 5.65 a Do 45 " " " S. W.  
 21.00 a Hickory 20 in. dia.  
 34.30 a W. Oak 30 " "  
 40.00 Let gr. Lec. post from which  
     a W. Oak 16 in. dia. bears S 51° E 31 W. dist. 8  
     an Ironwood 6 " " " N 41° W 26 " "  
 58.20 a Beech 22 " "  
 80.00 Let post cor. to Secs. 9, 10, 15 & 16 from which  
     a B. Ash 4 in. dia. bears S 22° W 6 W. dist. 8  
     a W. Oak 28 " " " North 8 " "

---

East on Random between Secs. 10 & 15  
 40.00 Let temp. gr. Lec. post.  
 79.80 Intersect Mt. line 80 W. N. of post.

---

West corner between Secs. 10 & 15  
 39.90 Let gr. Lec. post at average dist. from which  
     an Ironwood 6 in. dia. bears S 65° E 5 W. dist. 8  
     a Spruce 4 " " " N 54° W 8 " "  
 79.80 To Lec. Corner.

---

North Between Secs. 9 & 10  
 26.72 a Beech 24 in. dia.  
 40.00 Let gr. Lec. post from which  
     a Sugar 12 in. dia. bears S 31° E 35 W. dist. 8  
     a W. Oak 38 " " " N 42° W 42 " "  
 62.20 a Beech 18 " "  
 65.50 a Stream 13 W. wide corner N. W. -

T. 23 N. R. 9 E. 2<sup>nd</sup> Mer. Indiana.

68.50 a W. Oak 36 in. dia.

80.00 Set post cor. to Sec. 3, 4, 9 & 10 from which  
a Hickory 8 in. dia. bears S 69 E 35 W. dist. 8

a Do 7 " " " N 62 W 13 " "

East on Random between Sec. 3 &amp; 10.

40.00 Set temp. gr. Sec. post.

46.75 a Stream 12 W. wide corner S. E.

79.56 Intersect Mt. line 63 W. N. of post.

West corner between Sec. 3 &amp; 10.

39.78 Set gr. Sec. post at average dist. from which  
a W. Oak 10 in. dia. bears N 60 E 45 W. dist. 8  
a Beech 8 " " " S 68 W 26 " "

79.56 To Sec. corner.

North between Sec. 3 &amp; 4.

26.67 a Hickory 26 in. dia.

34.62 a Do 24 " "

40.00 Set gr. Sec. post from which

an Ironwood 3 in. dia. bears S 42 E 32 W. dist. 8

a Beech 17 " " " N 50 W 13 " "

57.70 a Do 16 " "

76.42 Intersect N. Bound. line 740 W. N. of post  
where set post cor. to Sec. 3 & 4 from which  
an Elm 17 in. dia. bears S 54 E 8 W. dist. 8  
a B. Ash 20 " " " N 35 W 11 " "November 18<sup>th</sup> 1892.

North between Sec. 32 &amp; 33.

30.90 a W. Oak 16 in. dia.

35.75 a Do 26 " "

40.00 Set gr. Sec. post from which

a B. Ash 4 in. dia. bears S 43 W 13 W. dist. 8

a Beech 12 " " " N 35 E 26 " "

64.17 a Do 14 " "

# T. 23 N. - R. 9 E. 2<sup>nd</sup> Mer. Indian 19

80.00 Let post cor. to Secs. 28, 29, 32 & 33 from which  
an Ironwood 14 in. dia. bears S 53 W 9 W. dist. 8  
a Do 6 " " " N 44 E 4 " "

East on Random between Secs. 28 & 33  
34.17 a Stream 25 W. wide corner N.E.  
40.00 Let temp. gr. Sec. post -  
66.24 a Stream 20 W. wide corner S.  
74.25 a Do 26 " " " N.E.  
75.63 Mississineewa River 2.93 wide corner N.  
80.00 Intersect M.S. line 163 W. N. of post.

West corner between Secs. 28 & 33 -  
2.44 Let post on the River from which  
a Buckeye 19 in. dia. bears N 46 E 54 W. dist. 8  
an Elm 4 " " " S 40 E 40 " "  
over River to Let post from which  
a Bl. Ash 13 in. dia. bears S 37 W 33 W. dist. 8  
a Hackberry 5 " " " West 31 " "  
40.00 Let gr. Sec. post at average dist. from which  
a Beech 18 in. dia. bears S 76 E 35 W. dist. 8  
a Do 15 " " " N 33 W 32 " "  
80.00 To Sec. corner.

North between Secs. 28 & 29 -  
26.20 a Beech 20 in. dia.  
40.00 Let gr. Sec. post from which  
a Beech 18 in. dia. bears S 58 W 40 W. dist. 8  
a Do 17 " " " N 38 E 27 " "  
60.36 a Do 23 " "  
73.78 a Do 8 " "  
80.00 Let post cor. to Secs. 20, 21, 28 & 29 from which  
a Beech 18 in. dia. bears S 41 E 26 W. dist. 8  
a Do 16 " " " N 51 W 14 " "

East on Random between Secs. 21 & 28 -

T. 23 N. - R. 9 E. 2<sup>nd</sup> Mer. Indiana.

40.00 Let temp. gr. Sec. Post  
 \*62.85 Mississinewa River 2.75 wide course N.  
 79.56 Intersect Md. line 230<sup>th</sup> N. of post.

West corner between Secs. 21 & 28-

\*16.71 Let post on the River, from which  
 an Elm 10 in. dia. bears N 21 W 16<sup>th</sup> dist.  
 a Buckeye 8 " " " South 27 " "  
 On River & set post from which  
 an Elm 8 in. dia. bears West 33<sup>th</sup> dist.  
 an Ironwood 16 " " " N 44 W 21 " "  
 39.78 Let gr. Sec. Post at average dist. from which  
 a Birch 12 in. dia. bears N 21 E 37<sup>th</sup> dist.  
 a Do 8 " " " N 49 W 16 " "  
 79.56 To Sec. Corner.  
 \* This must be a mistake of at least 10 ch<sup>ts</sup>  
 it is probably 52.85 & 26.71

North between Secs. 20 & 21

20.40 a Birch 19 in. dia.  
 31.60 a B. Ash 30 " "  
 40.00 Let gr. Sec. Post from which  
 a Birch 12 in. dia. bears N 37 E 23<sup>th</sup> dist.  
 a Do 15 " " " N 42 W 38 " "  
 63.65 a Do 24 " "  
 80.00 Let post cor. to Secs. 16, 17, 20 & 21 fr. which  
 a B. Ash 38 in. dia. bears N 31 E 32<sup>th</sup> dist.  
 an Elm 48 " " " N 31 W 31 " "

East on Random between Secs. 16 & 21

2.36 Mississinewa River 3.00 wide course N.W.  
 40.00 Let temp. gr. Sec. Post.  
 63.75 a Stream 50<sup>th</sup> wide course S.W.  
 68.70 Do 47 " " " N.W.  
 79.75 Intersect Md. line 206<sup>th</sup> N. of post-



T. D. N. - R. G. E. D. Mer. Indiana <sup>21</sup>

West corner between Secs. 16 & 21

- 40.00 Let gr. Sec. post from which  
 a W. Oak 16 in. dia. bears S 65 E 4 1/2 W. dist. 8  
 a Do 5 " " " N 84 W 21 " "  
 77.39 Let post on the River from which  
 a W. Oak 14 in. dia. bears S 71 E 6 3/4 W. dist. 8  
 a Do 15 " " " N 20 - 57 " "  
 - over River & set post from which  
 a W. Oak 6 in. dia. bears N 55 W 33 W. dist. 8  
 a B. Ash 5 " " " S 44 E 10 " "  
 79.75 To Sec. Corner November 19<sup>th</sup> 1832 -

North Between Secs. 16 & 17

- 3.90 Mississinewa River & set post from which  
 an Elm 8 in. dia. bears S 47 W 10 W. dist. 8  
 a Do 20 " " " S 30 E 12 " "  
 7.40 over River & set post from which  
 an Ironwood 4 in. dia. bears S 36 E 4 W. dist. 8  
 a W. Oak 7 " " " N 37 W 6 " "  
 14.66 a Beech 30 " "  
 40.00 Let gr. Sec. post from which  
 a Beech 16 in. dia. bears East 6 W. dist. 8  
 an Elm 26 " " " N 65 W 34 " "  
 53.50 a Stream 20 W. wide course N. W.  
 59.20 an Elm 7 in. dia.  
 76.89 a Beech 16 " "  
 80.00 Let post cor. to Secs. 8, 9, 16 & 17 from which  
 an Elm 5 in. dia. bears S 5 E 16 W. dist. 8  
 a Do 7 " " " N 41 W 15 " "

East on Random between Secs. 9 & 16 -

- 40.00 Let temp. gr. Sec. post.  
 80.00 Intersect N. line 207 W. N. of post.

West corner between Secs. 9 & 16

- 40.00 Let gr. Sec. post at average dist. from which



T. 23 N. - R. 9 E. 2<sup>nd</sup> Mer. Indiana

a Beech 16 in. dia. bears 440° 23' 14" dist. 8  
 a Do 8 " " " N 27° E 22 " "  
 50.00 To Sec. Corner.

---

North Return Sec. 8 & 9

15.30 a Beech 18 in. dia.

30.02 an Ironwood 4 " "

40.00 Let gr. Sec. post from which

a Beech 26 in. dia. bears 557° 15' 14" dist. 8  
 an Ironwood 4 " " " N 57° E 34 " "

46.40 a Stream 18 ft. wide Course N.

60.80 a Beech 17 in. dia.

80.00 Let post cor. to Sec. 4, 5, 8 & 9 from which  
 a Beech 16 in. dia. bears 530° 13' 14" dist. 8  
 a Do 15 " " " N 43° E 39 " "

---

East on Random between Sec. 4 & 9 -

40.00 Let temp. gr. Sec. post.

80.30 Intersect N. line 75 ft. N. of post.

---

West correct between Sec. 4 & 9 -

40.15 Let gr. Sec. post at average dist. fr. which  
 a W. Oak 36 in. dia. bears 54° 03' 14" dist. 8

a Do 30 " " " N 40° W 10 " "

80.30 To Sec. Corner

---

North Return Sec. 4 & 5

35.60 an Elm 18 in. dia.

40.00 Let gr. Sec. post from which

a Beech 10 in. dia. bears 560° 22' 14" dist. 8  
 a Do 12 " " " N 32° E 38 " "

50.50 a Stream 35 ft. wide Course S. W.

51.55 a Beech 16 in. dia.

67.69 a Do 30 " "

75.69 Intersect N. Bound. line 8.50 W. of post -  
 where let post cor. to Sec. 4 & 5 from which

T. D. N. - R. G. E. 3<sup>rd</sup> Mer. Indiana. <sup>23</sup>

a W. Oak 8 in. dia. bears 415 N 11 W. dist. 1/2  
 a Beech 18 " " " N 53 E 37 " "  
 Sand & Timber same as last described.  
 November 20<sup>th</sup> 1832.

---

North Between Secs. 31 & 32

25.00 an Elm 30 in. dia.  
 36.90 a Beech 6 " "  
 40.00 Let gr. Sec. post from which  
 an Ironwood 4 in. dia. bears 435 E 15 W. dist. 1/2  
 a B. Oak 10 " " " N 67 W 1 " "  
 62.25 a R. Oak 30 " "  
 80.00 Let Post cor to Secs. 29, 30, 31 & 32 from which  
 a B. Ash 14 in. dia. bears 436 E 21 W. dist. 1/2  
 a Beech 7 " " " N 9 W 20 " "

---

East on Random between Secs. 29 & 32

40.00 Let gr. Sec. Post (temp.)  
 79.75 Intersect M. line 106 W. N. of post.

---

West Corner between Secs. 29 & 32

39.87 Let gr. Sec. Post at average dist. from which  
 a Sugar 16 in. dia. bears 451 E 17 W. dist. 1/2  
 a Beech 18 " " " N 49 W 21 " "  
 79.75 To Sec. Corner

---

West Between Secs. 30 & 31

21.23 a B. Ash 20 in. dia.  
 38.10 a Hickory 16 " "  
 40.00 Let gr. Sec. Post from which  
 a Beech 5 in. dia. bears N 66 E 16 W. dist. 1/2  
 an Ironwood 4 " " " 442 W 7 " "  
 65.23 a Sugar 16 " "  
 80.67 Intersect N. Bound. line 186 W. S. of post  
 when set Post cor. to Secs. 30 & 31 fr. which  
 a Beech 19 in. dia. bears 413 E 18 W. dist. 1/2

T. D. 3 N. - R. 9 E. 3<sup>rd</sup> Mer. Indiana

at Beech 9 in. dia. bears N 67 W 13 W. dist.

North Between Secs. 29 &amp; 30

30.58 at Beech 30 in. dia.

40.00 Set gr. Sec. Post from which

at Beech 16 in. dia. bears S 15 E 26 W. dist.

an Ironwood 5 " " " N 46 W 14 " "

61.85 at B. Ash 14 " "

70.50 at Beech 13 " "

80.00 Set post cor. to Secs. 19, 20, 29 &amp; 30 from which

at Beech 18 in. dia. bears S 7 W 30 W. dist.

at Buckle 26 " " " North 9 " "

East on Random between Secs. 20 &amp; 29

40.00 Set gr. Sec. Post (temp.)

79.50 Intersect M. line 150 W. N. of Post.

West corner between Secs. 20 &amp; 29

39.75 Set gr. Sec. Post at average dist. from which

at B. Ash 14 in. dia. bears S 13 W 35 W. dist.

at Beech 8 " " " N 30 W 14 " "

79.50 To Sec. Corner.

West Between Secs. 19 &amp; 30

31.80 at Beech 21 in. dia.

40.00 Set gr. Sec. Post from which

at Beech 15 in. dia. bears N 74 E 37 W. dist.

an Elm 17 " " " S 40 W 12 " "

55.20 at Sugar 14 " "

73.71 at W. Oak 30 " "

77.76 Intersect N. Bound. line 40 W. E. of Post.

where Set post Cor. to Secs. 19 &amp; 30 from which

at Beech 8 in. dia. bears S 29 E 45 W. dist.

a Do 15 " " " N 41 W 14 " "

North Between Secs. 19 &amp; 20 -

T. D. N. - W. G. E. 3<sup>rd</sup> Mer. Indian 25

21.00 a Beech 13 in. dia  
 33.23 a B. Ash 18 " "  
 40.00 Set gr. Sec. post from which  
     a Beech 8 in. dia. bears S 32 E 31 W. dist. 8  
     a Do 20 " " " North 1 " "  
 61.78 a Do 30 " "  
 67.50 a Stream 18 W. wide course N.W.  
 80.00 Set post cor. to Secs. 17, 18, 19 & 20 from which  
     a Beech 12 in. dia. bears South 24 W. dist. 8  
     a B. Ash 8 " " " N 19 E 37 " "

---

East on Random between Secs. 17 & 20.  
 40.00 Set temp. gr. Sec. post.  
 79.60 Intersect W. line 102 W. St. of post.

---

West Corner between Secs. 17 & 20.  
 39.80 Set gr. Sec. post at average dist. from which  
     an Ironwood 4 in. dia. bears S 88 E 27 W. dist. 8  
     a Beech 25 " " " N 51 W 18 " "  
 79.60 To Sec. corner.

---

West Between Secs. 18 & 19 -  
 24.85 a Burr Oak 30 in. dia.  
 31.50 a Stream 45 W. wide course N.  
 40.00 Set gr. Sec. post from which  
     a W. Oak 5 in. dia. bears N 85 E 25 W. dist. 8  
     a Do 8 " " " S 46 W 44 " "  
 53.57 a Sugar 31 " "  
 64.25 a Do 20 " "  
 74.50 Intersect N. bound. line 50 W. N. of post.  
     where set post cor. to Secs. 18 & 19 fr. which  
     an Elm 9 in. dia. bears S 67 E 13 W. dist. 8  
     a S. Ash 5 " " " N 28 W 19 " "  
     November 21<sup>st</sup> 1892 -

---

North Between Secs. 17 & 18 -



26 T. D. N. - R. G. E. 2<sup>nd</sup> Mer. Indian Co

9.40 a W. Oak 23 in. dia.  
 40.00 Set gr. Sec. post from which  
     a W. Oak 12 in. dia. bears S 26 E 37 W. dist. 8  
     a Hickory 14 " " " N 44 W 38 " "  
 72.76 a W. Oak 24 " "  
 80.00 Set post Co. to Locs. 7, 8, 17 & 18 from which  
     a W. Oak 15 in. dia. bears S 41 E 59 W. dist. 8  
     a Do 20 " " " N 32 W 43 " "

---

East on Randons between Locs. 8 & 17 -  
 40.00 Set temp. gr. Sec. post.  
 60.50 Mississinewa River 3.00 wide Cross N. W.  
 79.56 Intersect M. line 158 W. N. of post -

---

West correct between Locs. 8 & 17  
 16.06 Set post on the River from which  
     an Elm 4 in. dia. bears N 29 E 8 W. dist. 8  
     a Hackberry 7 " " " S 66 E 11 " "  
     On River & set post from which  
     an Elm 6 in. dia. bears N 44 E 24 W. dist. 8  
     a Buckeye 18 " " " N 86 W 26 " "  
 39.78 Set gr. Sec. post at average dist. from which  
     a Buckeye 8 in. dia. bears S 41 E 46 W. dist. 8  
     a Sugar 26 " " " N 50 W 26 " "  
 79.56 To Sec. Corner.

---

West between Locs. 7 & 18 -  
 17.50 a Branch 20 ft. wide Cross N.  
 32.17 a Hickory 26 in. dia.  
 40.00 Set gr. Sec. post from which  
     a W. Oak 8 in. dia. bears N 32 E 26 W. dist. 8  
     a Do 7 " " " S 60 W 49 " "  
 41.92 a Sugar 17 " "  
 68.42 a W. Oak 28 " "  
 71.35 Intersect N. Bound. line 150 W. N. of post -  
     where set post Co. to Locs. 7 & 18 from which

J. D. N. R. G. E. 2<sup>nd</sup> Mer. Indian 27

a Beech 20 in. dia. bears N 55 E 62 W. dist.  
a Do 15 " " " 469 N 21 " "

North Between Sects 7 & 8 -

19.36 Mississinewa River & set post from which  
a W. Oak 30 in. dia. bears South 55 W. dist.  
a Do 16 " " " N 55 W 39 " "  
22.14 on River & set post from which  
a Lycamore 1 in. dia. bears 474 E 8 W. dist.  
a Do 18 " " " North 18 " "  
29.42 a Buckeye 16 " "  
40.00 Set gr. Sec. post from which  
a Beech 13 in. dia. bears N 42 E 12 W. dist.  
an Elm 18 " " " 41 W 35 " "  
56.00 a Hickory 14 " "  
71.50 a Stream 22 ~~W. Wide~~ Corners W.  
80.00 Set post Co. to Sect. 5, 6, 7 & 8 from which  
a Hickory 6 in. dia. bears S 1 E 31 W. dist.  
a Do 3 " " " N 6 W 13 " "

East on Random between Sects 5 & 8 -

2.40 a Stream 20 W. Wide Corners S.  
4.73 a Do 18 " " " N. W.  
5.16 Do 17 " " " N. E.  
25.36 Do 16 " " " S.  
36.55 Do 15 " " " N. W.  
39.45 Do 15 " " " S.  
40.00 Set temp. Co. to gr. Sect.  
80.00 Intersect N. S. line 104 W. N. of post -

West Corner between Sects 5 & 8 -

40.00 Set gr. Sec. post at average dist. fr. which  
a W. Ash 28 in. dia. bears 468 E 37 W. dist.  
a Beech 20 " " " South 5 " "  
80.00 To Sec. Corner.

T. D. N. - R. G. E. 2<sup>nd</sup> Mer. Indian w.

West Between Sec. 6 &amp; 7

11.75 a Stream 10 ft. wide course S.

13.25 a Hickory 10 in. dia.

21.74 a Do 14 " "

33.80 a Stream 14 ft. wide course S. E.

40.00 Set q. Sec. post from which

a Beech 14 in. dia. bears S 70 E 11 ft. dist. &amp;

a Do 30 " " " N 49 W 4 " "

53.50 a Hickory 16 " "

67.85 a Do 20 " "

68.93 Intersect N. Bound. line 128 W. of Post.

where set post cor. to Sec. 6 &amp; 7 from which

a Poplar 5 in. dia. bears N 74 E 26 ft. dist. &amp;

an Ironwood 5 " " " S 8 W 6 " "

November 23<sup>rd</sup> 1822 -

North Between Sec. 5 &amp; 6

22.16 a Beech 15 in. dia.

31.42 a Do 18 " "

40.00 Set q. Sec. post from which

a Beech 12 in. dia. bears S 24 E 33 ft. dist. &amp;

a Hickory 28 " " " N 12 E 41 " "

56.34 a Beech 21 " "

75.45 Intersect N. Bound. line 8.25 W. of Post.

where set post cor. to Sec. 5 &amp; 6 from which

a Beech 13 in. dia. bears S 70 E 16 ft. dist. &amp;

a Do 8 " " " N 6 E 16 " "

Land on this line level &amp; rich. Timber Ash.

Beech & Sugar. ung<sup>d</sup>. Ironwood. P. Ash & Spice.

Meanders of Mississinewa River

Beginning on the Range line between

Ranges 8 &amp; 9 East, on the South Side of the

River, thence up stream.

Courses	Distances	Remarks
S 62 E	1.44	In Sec. 7

*T. D. N. - R. G. E. 2<sup>nd</sup> Mer. Indiana 29*

453 E	2.50
446 E	3.43
457 E	2.00
458 E	3.25
460 E	3.28
474 E	14.50
N88 E	3.00
N84 E	3.46
N73 E	5.95
N58 E	2.33
N62 E	1.18
N37 E	2.00
N14 E	1.17
N77	1.47
N11 E	1.50
N25 E	5.50
N35 E	3.00
N37 E	1.30
N41 E	3.87
N47 E	4.00
N76 E	2.41
483 E	2.50
473 E	3.40
462 E	1.26
49 E	2.76
497	3.00
42 E	1.15
416 E	1.50
417 E	3.00
11 E	1.90
422 E	1.00
431 E	1.19
444 E	2.22
473 E	1.68

*Lower end of an Island*

*a Stream 40 ft. wide from H. E  
& upper end of Island.*

*To Post in line of Sec. 7 & 8*



N 71 E	2.50
N 79 E	2.92
N 71 E	2.00
N 44 E	1.50
N 55 E	2.50
N 58 E	4.50
N 56 E	1.26
N 63 E	.50
N 74 E	1.34
N 69 E	2.50
N 72 E	3.30
N 78 E	2.45
N 83 E	1.50
N 74 E	2.70
N 71 E	2.35
N 76 E	3.42
N 77 E	2.50
N 79 E	2.50
N 82 E	2.25
N 86 E	2.27
S 82 E	2.00
S 58 E	2.00
S 45 E	1.59
S 39 E	2.00
S 38 E	3.00
S 32 E	2.40
S 32 E	1.93
S 39 E	2.00
S 37 E	1.80
S 37 E	1.40
S 43 E	1.74
S 37 E	1.50
S 30 E	2.00
S 20 E	1.25
S 16 E	1.00
S 18 E	1.64

In Sec. 8

Lower end of an Island.

Upper end of Island.

T. D. N. - R. G. E. 2<sup>nd</sup> Mer. Indiana 31

415 E 3.41  
48 E 3.78  
45 E 2.79

To post in line of sec. 8 & 17 -

46 E 3.00

In Sec. 17 lower end of Island

44 E 1.00

45 E 5.18

410 W 1.30

415 W 2.00

410 W 1.50

46 W 1.30

416 W 1.44

41 W .70

433 E 4.50

upper end of Island.

431 E 1.72

416 E 1.67

42 E 1.80

44 W 3.27

45 W 3.81

412 W 2.43

415 W 2.31

414 W 2.27

431 W 4.00

413 W 3.42

46 W 1.75

46 E 2.50

416 E 5.90

429 E 3.80

442 E 2.91

444 E 4.50

446 E 3.40

449 E 2.50

440 E 1.79

444 E 3.50

453 E 2.50

445 E 1.25

To post in line of sec. 16 & 17

449 E	1.00	In Sec. 16
443 E	2.29	
441 E	1.36	
430 E	1.36	To post in line of Secs. 16 & 21

446 E	3.29	In Sec. 21
430 E	1.45	
South	4.34	
457 W	4.00	
421 E	6.91	
429 E	8.83	at 7.75 at Branch 8 W. side from West
442 E	3.50	
457 E	2.50	
473 E	3.78	
484 E	3.00	
480 E	3.50	
486 E	2.00	
489 E	1.79	
475 E	2.65	
460 E	4.32	
462 E	2.39	
446 E	1.82	
435 E	1.50	
422 E	1.77	
428 E	1.00	
435 E	1.39	
441 E	1.91	
450 E	1.66	
453 E	3.50	
445 E	3.50	
440 E	3.00	
444 E	3.83	
431 E	1.50	
417 E	2.00	
43 E	2.83	
43 W	2.00	

33

T. D. N. R. G. E. 2<sup>nd</sup> Mer. Indiana.

47 M	2.50
48 M	2.00
44 M	3.00
414 M	1.50
417 M	3.00
49 M	1.75
42 E	3.50
44 M	1.50
42 M	1.93

To post in line of Sec. 21 & 28

41 M	4.84
413 E	5.50
430 E	3.00
445 E	3.74
453 E	3.31
468 E	1.50
471 E	4.00
469 E	2.50
475 E	3.40
466 E	2.50
457 E	2.91
431 E	1.50
418 E	1.50
48 E	3.34
45 M	2.50
41 M	1.30
48 M	2.00
46 M	1.38
414 M	3.50
424 M	2.00
420 M	2.29
44 E	2.16
415 E	1.30
429 E	2.50
436 E	1.50
425 E	1.50

In Sec. 28

at 1.26 a Branch 10 M. wide fr. South

Lower end of an Island

Upper end of Island



J. D. M. - R. G. E. 2<sup>nd</sup> Mer. Indiana

413 E 2.31  
 410 E 1.37  
 46 E 3.00  
 South 1.84  
 42 W 2.00  
 45 W 2.47  
 46 W 5.00  
 47 W 4.00  
 45 W 4.50  
 43 W 3.95

3.37 at Branch 13 W. ends from S. W.  
 To Post in line of Sec. 33 & 34 -

412 E 1.76  
 49 E 3.50  
 44 E 3.95  
 43 W 3.50  
 417 E 1.34  
 449 E 1.30  
 467 E 2.00

In Sec. 33

To Post in line of Sec. 33 & 34

456 E 1.78  
 430 E 1.93  
 413 E 1.00  
 45 E 2.34  
 49 W 1.50  
 412 W 1.50  
 416 W 1.50  
 426 W 3.00  
 435 W 1.77  
 415 W 3.00  
 42 W 7.97  
 49 E 3.68  
 47 E 5.88  
 42 W 2.95  
 44 W 3.00  
 43 W 7.93  
 48 E 1.00

In Sec. 34

Crossed N. line

+

+

+

448 E	1.50	
498 E	3.00	
424 E	1.76	
435 E	1.00	at 66 W <sup>ts</sup> at Branch 28 W <sup>ts</sup> end of J. S. N.
454 E	3.50	
466 E	4.00	
474 E	4.00	
471 E	1.65	
469 E	1.70	
461 E	1.75	
471 E	2.50	
N86 E	1.96	at Branch 21 W <sup>ts</sup> end from S. E.
N72 E	2.52	
N60 E	3.92	
484 E	2.00	
468 E	5.50	
466 E	3.00	
464 E	3.00	
456 E	2.00	
453 E	1.50	To Post in South Boundary.

Meanders of N. E. bank of  
River. Beginning at Post in  
South Boundary. Thence  
In Sec. 34

N57 N	3.50
N63 N	4.76
N65 N	2.00
N70 N	5.00
N76 N	3.30
483 N	2.00
468 N	1.50
451 N	1.50
443 N	1.50
N79 N	2.50
N88 N	1.78
N66 N	3.00

November 23<sup>rd</sup> 1892

N70W	4.00
N81W	2.00
N74W	2.34
N48W	2.50
N36W	2.90
N19W	2.35
North	1.00
N3E	3.00
N1E	2.00
N8E	3.00
N12E	1.23
N31E	1.27
N6E	1.35
N8W	2.50
N13W	3.00
N6W	8.00
North	3.00
N11E	3.00
N22E	3.00
N27E	4.25
N14E	2.76
N5W	1.68
N15W	3.50
N33W	3.67
N36W	1.75
N22W	5.60
N32W	1.19
N11W	1.66
N9W	3.48

at 2.50 at Branch 26 W. wide from S.E.

In Sec. 33 (not noted where  
the line is crossed)

To post in line of sec. 28 & 33 -

N5W	2.15
N8E	2.00
N12E	1.50
N22E	1.94
N10E	2.62
N5E	6.00

In Sec. 28 (& 27)

at 1.50 at Branch 22 W. wide from East.

J. D. N. - R. 9 E. T<sup>2</sup> Mer. Indiana 37

N 9 E	2.50
N 5 E	3.11
North	3.14
N 12 W	7.20
N 8 W	1.67
N 2 W	1.72
N 9 W	3.00
N 13 W	1.88
N 4 W	1.50
N 12 E	2.50
N 14 E	2.12
N 8 E	1.85
N 4 E	1.68
North	3.25
N 5 W	3.00
N 26 W	2.50
N 46 W	3.67
N 63 W	3.00
N 67 W	4.00
N 70 W	3.90
N 73 W	3.22
N 57 W	1.35
N 50 W	3.23
N 55 W	2.50
N 33 W	2.67
N 17 W	2.61
N 3 W	1.27
North	3.17
N 6 E	3.30
N 1 E	4.35
N 7 E	2.38
N 8 E	3.69
N 9 E	4.26
N 10 E	4.50
N 3 E	3.50
N 5 W	4.50

Upper end of an Island

Lower end of Island -  
at 8 W. at Branch 15 W. side from East.

To East in line of sec. 21 & 28.  
In Sec. 21

1.75 at Branch 23 W. side from S. E.



N32W 1.68

N45W 3.50

N36W 2.40

N48W 2.00

N18W 4.78

N33W 4.62

N42W 2.73

N70W 3.50

N65W 4.26

N58W 5.74

N75W 5.64

N89W 3.00

N80W 3.31

N83W 3.00

N73W 3.50

N60W 1.90

N39W 3.67

N30W 4.50

N26W 4.50

N21W 3.92

N6W 2.19

N17E 5.80

N39W 5.08

Upper end of an Island

Lower end of Island.

H. 74 at Branch 25 mi. wide from N. E.

To post in line of sec. 16 &amp; 21

N41W 5.00

N40W 2.50

N44W 2.75

In Sec. 16.

To Post in line of Sec. 16 &amp; 17

N46W 1.39

N45W 2.20

N39W 2.00

N46W 2.21

N57W 3.00

N44W 3.30

N47W 3.50

N42W 2.27

In Sec. 17.

I. D. N. - V. G. E. 2<sup>nd</sup> Mer. Indiana. 39

N37W 2.50  
 N27W 3.21  
 N15W 2.50  
 N8W 2.84  
 N3 E 2.63  
 N17 E 3.00  
 N25 E 3.34  
 N21 E 3.37  
 N15 E 1.30  
 N9 E 2.73  
 N3 E 3.74  
 N1 E 2.00  
 North 2.00  
 N37W 1.92  
 N5W 2.00  
 N21 E 3.16  
 N21W 2.50  
 N19 E 3.38  
 N41W 2.00  
 N28W 1.73  
 N7W 2.50  
 N14W 1.76  
 N9W 2.00  
 N5W 2.50  
 N6W 1.00

Upper end of an Island. and  
at 2.21 at branch 28 W. wide from S.E.

at 70 W. at branch 14 W. wide from N.E.

Lower end of Island.

To Post in line of sec. 8 & 17 -

N4W 1.50  
 N8W 2.50  
 N10W 3.00  
 N15W 3.00  
 N14W 1.87  
 N28W 4.23  
 N32W 1.19  
 N19W 2.50  
 N11W 1.50  
 N17W 2.50

In Sec. 8.

Upper end of an Island.

N32W 1.73

at 61 W. a Stream 24 W. wide fr. N.E.

N35W 2.59

N45W 4.69

N53W 1.71

Lower end of Island.

N62W 1.83

N67W 2.50

N83W 4.00

S82W 7.50

S75W 6.66

S78W 3.18

S80W 4.50

S57W 3.30

S80W 2.30

S69W 3.00

S64W 4.00

S46W 4.10

West 2.50

N75W 1.40

N64W 3.29

To Post in line of Sect 7 &amp; 8

N54W 1.28

In Sec. 7

N20W 5.33

N7E 2.83

N23E 2.00

N2E 4.50

N70W 3.00

N77W 2.50

N64W 1.73

N80W 2.00

S88W 3.21

S62W 3.43

S48W 6.00

S44W 4.31

a Stream 25 W. wide from N.W.

S20W 6.27

S30W 3.85

S45W 2.18

Upper end of an Island -

T. 23 N. - R. 9 E. 2<sup>nd</sup> Mer. Indiana 41

N 46 W 2.00  
 S 58 W 3.50  
 S 23 W 3.00  
 S 77 W 2.00  
 S 85 W 3.46  
 N 81 W 3.50  
 N 69 W 5.70  
 N 72 W 3.64  
 N 65 W 5.00  
 N 54 W 3.50  
 N 57 W 2.73  
 N 48 W 5.15  
 N 50 W 3.57

Lower end of Island -

To Post in West Boundary  
 November 24<sup>th</sup> 1832 Surveyed  
 by David Willis S. Sur.

I certify that the foregoing transcript of the  
 Field Notes of Township 23 North, in Range  
 9 East of the 2<sup>nd</sup> Meridian in Indiana,  
 has been compared with the original  
 in this office, and found to be correct.

Surveyor General's Office,  
 Cincinnati April 9<sup>th</sup> 1843

William Johnston  
 Sur. Genl.